

INDEX MAPS.

T. 7N, R. 6E. 2nd Mer.

	7	7	7-6	6	6	6						
10	6	24	5	28	4	23	3	18	2	14	1	5
	34		34		28		23		18		14	
9	7	33	8	27	9	22	10	18	11	13	12	5
	33		32		27		22		17		13	
9	18	32	17	26	16	21	15	17	14	13	13	5
	32		31		26		21		17		12	
8	19	31	20	26	21	20	22	16	23	12	24	4
	31		30		25		20		16		12	
8	30	30	29	24	28	20	27	15	26	11	25	4
	30		29		24		19		15		11	
8	31	29	32	24	33	19	34	15	35	10	36	3
	3		2		2		2		1		1	

T. 8N, R. 6E. 2nd Mer.

	49		48		48		48		47		47	
49 52	6	74	5	68	4	63	3	60	2	56	1	47
	73		73		67		63		59		55	
50 51	7	73	8	67	9	63	10	59	11	55	12	46
	72		72		67		62		58		54	
50 51	18	72	17	66	16	62	15	58	14	54	13	46
	71		71		66		62		58		54	
50 51	19	70	20	66	21	61	22	57	23	63	24	45
	70		70		65		61		57		53	
50 51	30	69	29	65	28	61	27	57	26	53	25	45
	69		68		64		60		56		52	
50	31	68	32	64	33	60	34	56	35	52	36	45
	44		44		44-43		43		43		43	

Meanders 74

Meanders 74

Township Lines.
South Boundary.

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 8 in. dia bears N 9 W 4 1/2 ls. dist. 8

a Dr 30 " " " S 43 W 6 " "

70.40 a creek 15 ls. wide course S

80.00 set post cn. of sec. 35 & 36 from which

a Beech 24 in. dia bears N 41 E 12 ls. dist. 8

a Dr 7 " " " S 31 W 29 " "

Over rolling land, timber Beech, Poplar; Spice

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a Beech 18 in. dia bears N 10 E 18 ls. dist. 8

a Dr 8 " " " S 82 E 23 " "

80.00 set post cn. of sec. 34 & 35 from which

a Beech 12 in. dia bears N 62 E 8 ls. dist. 8

a Dr 12 " " " N 30 W 18 " "

Land & timber as before noted

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

an Ash 8 in. dia bears N 41 E 4 1/2 ls. dist. 8

a W. Walnut 8 " " " N 85 W 22 " "

80.00 set post cn. of sec. 33 & 34 from which

a Sugar 8 in. dia bears N 79 E 30 ls. dist. 8

a Dr 15 " " " N 81 E 14 " "

Over level land, rich soil, timber Sugar, Beech,
Poplar & Under Spice

West on the S. Boundary of Sec. 33

22.00 Intersect River. June 2^d. 1819

T. S. N., R. C. E. L. Mer. Ind.^e

East on the S. Boundary of Sec. 31

0.75 a Branch 5 Mr. wide course SE

17.50 a Do 10 " " " " S 4 W

35.50 a Do 4 " " " " N 4 W

40.00 let of sec. port from which

a Beech 6 in. diameter N 23 W 8 Mr. dirt. 8

a Do 20 " " " " S 83 E 26 " "

49.50 a R. Oak 30 " "

80.00 let port cor. of sec. 31 & 32 from which

a Beech 15 in. diameter N 39 W 19 Mr. dirt. 8

a Do 10 " " " " S 59 E 6 " "

Rolling land, timber Beech, Poplar, Oak &
Under Spice Prate

East on the S. Boundary of Sec. 32

6.35 an Ash 20 in. dia.

40.00 let of sec. port from which

a Beech 12 in. diameter S 69 E 23 Mr. dirt. 8

a Do 10 " " " " N 85 W 30 " "

67.00 enter low ground

70.00 Pond 3 Mr. wide S 4 W

80.00 let port cor. of sec. 32 & 33 from which

a Beech 20 in. diameter S 44 W 39 Mr. dirt. 8

a Do 15 " " " " N 23 E 40 " "

Rolling land, good soil, timber Beech, Poplar,
Sugar & Under Spice

East on the S. Boundary of Sec. 33

40.00 let of sec. port from which

a Buckeye 12 in. diameter N 75 W 24 Mr. dirt. 8

a Do 10 " " " " S 38 W 18 " "

49.00 Intersect the River running from N to S. 47 Mr.
wide - a Buckeye 3 in. dia. stands for Meander

T. 8 N., R. 6 E. 2^d. Mer. Ind.^a

port from which

a Locust 12 in. dia. bears N 40° W 9 lbs. dist. 8

a Sugar 4 " " " S 31° W 16 " "

Low ground, subject to overflow, soil rich, timber
Walnut, Hackberry & Under Pawpaw & Spice

East Boundary, Var. 6th 45' E.

North on the E. Boundary of Sec. 36

40.00 set of sec. port from which

a Beech 8 in. dia. bears S 49° E 19 lbs. dist. 8

a Do 12 " " " N 12° W 15 " "

40.50 a Branch 4 lbs. wide course SE

50.27 a Beech 18 in. dia.

80.00 set port cor. of Secs. 25 & 36 from which

a Poplar 12 in. dia. bears N 34° E 20 lbs. dist. 8

a Beech 16 " " " S 60° W 20 " "

Rolling 2nd rate land, timber Beech, Poplar,
Oak & Myr. Spice &c.

North on the E. Boundary of Sec. 25

5.50 a Beech 20 in. dia.

39.00 a Branch 4 lbs. wide course SE

40.00 set of sec. port from which

a Beech 10 in. dia. bears S 10° W 29 lbs. dist. 8

a Do 8 " " " N 85° E 24 " "

72.00 a Branch 4 lbs. wide course E

80.00 set port cor. of Secs. 24 & 25 from which

a Beech 12 in. dia. bears N 87° E 15 lbs. dist. 8

a Do 7 " " " S 87° W 17 " "

Level land, 2nd rate, timber as last noted

North on the E. Boundary of Sec. 24

22.55 a Beech 20 in. dia.

T. 8 N., R. 6 E. 2.^d Mer. Ind.^a

40.00 Set of sec. post from which

a Beech 18 in. dia. bears S 85° W 8 lbs. dist. 8

a Do 16 " " " S 49° E 26 " "

62.40 a Do 18 " "

80.00 Set post cor. of sec. 13 & 24 from which

a Beech 10 in. dia. bears N 58° W 4 lbs. dist. 8

a Do 8 " " " S 38° E 26 " "

Over level land, timber &c. as last noted

June 3, 1819

North on the E. Boundary of Sec. 13

27.20 a Beech 18 in. dia.

36.00 a Branch 30 lbs. wide course S W

40.00 Set of sec. post from which

a Beech 6 in. dia. bears S 20° E 24 lbs. dist. 8

a Do 12 " " " N 30° E 17 " "

74.50 a Branch 10 lbs. wide course S W

80.00 Set post cor. of sec. 12 & 13 from which

a Sugar 10 in. dia. bears N 41° E 7 lbs. dist. 8

a Dogwood 5 " " " S 35° W 14 " "

Land &c. as last noted

North on the E. Boundary of Sec. 12

11.00 an Elm 24 in. dia.

40.00 Set of sec. post from which

a Gum 16 in. dia. bears S 40° E 14 lbs. dist. 8

a Beech 18 " " " N 5° W 34 " "

60.00 a Branch 20 lbs. wide course W

80.00 Set post cor. of sec. 11 & 12 from which

a Beech 20 in. dia. bears N 30° E 16 lbs. dist. 8

a Do 15 " " " S 22° W 26 " "

Land &c. as above noted. Under Beech, Spice &c.

T. 8 N., R. 6 E. 2.^o Mer. Ind.?

North on the E. Boundary of Sec. 1

18.50 a Creek 50 Yds. wide course S W

40.00 lot of sec. port from which

an Ash 16 in. in diam. N 69 W 12 Yds. dist. 8

a Beech 7 " " " S 52 E 44 " "

52.66 an Elm 40 " "

80.00 lot port cor. of T. 8 & 9 N., R. 6 & 7 E. from which

a Beech 25 in. in diam. N 50 E 11 Yds. dist. 8

a Hickory 7 " " " S 48 W 42 " "

Level land, good soil, timber Beech, Sugar,
Poplar, Ash & Under Spice June 4. 1819

North Boundary. Var. 7.^o 00'. E.

West on the S. Boundary of Sec. 30, T 9 N., R 6 E

1.62 a Poplar 42 in. dia.

40.00 lot of sec. port from which

a Beech 14 in. in diam. S 50 W 8 Yds. dist. 8

a Do 6 " " " N 21 W 9 " "

51.00 a Branch 5 Yds. wide course N W

59.74 a Poplar 36 in. dia.

80.00 lot port cor. of Sec. 35 & 36 from which

a Beech 7 in. in diam. S 84 E 22 Yds. dist. 8

a Do 14 " " " S 80 W 20 " "

Rich soil, timber Ash, Oak, Beech, Poplar &
Under Spice

West on the S. Boundary of Sec. 35, T 9 N., R 6 E.

24.00 a Creek 40 Yds. wide course S W

28.04 a Beech 14 in. dia.

40.00 lot of sec. port from which

a Beech 21 in. in diam. S 21 E 7 Yds. dist. 8

an Ash 10 " " " N 12 E 2 " "

80.00 lot port cor. of Sec. 34 & 35 from which

T. 8 N., R. 6 E. 2.^d Mer. Ind.

a W. Oak 8 in. dia. bears S 89 E 38 lbs. dist. 3

a Beech 4 " " " N 87 W 12 " "

Good rich land, timber Beech, Poplar, Oak,
Hickory & Under Spice

West on the S. Boundary of Sec. 34, T 9 N, R 6 E

17.23 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Beech 27 in. dia. bears S 69 E 17 lbs. dist. 3

a Poplar 10 " " " N 67 W 12 " "

61.00 a Branch 6 lbs. wide corner S

70.30 an Oak 32 in. dia.

80.00 set post cor. of sec. 33 & 34 from which

a Beech 12 in. dia. bears S 52 E 6 lbs. dist. 3

a Do 14 " " " N 31 W 14 " "

Land, timber &c. as last noted

West on the S. Boundary of Sec. 33, T 9 N, R 6 E

13.38 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Hickory 4 in. dia. bears S 31 E 8 lbs. dist. 3

a Beech 21 " " " N 65 W 31 " "

80.00 set post cor. of sec. 32 & 33 from which

a Beech 8 in. dia. bears S 61 W 4 lbs. dist. 3

an Elm 20 " " " N 88 E 8 " "

First rate land, timber Walnut, Ash, Beech,
&c. Upr. Spice & Pawpaw June 5. 1819

West on the S. Boundary of Sec. 32, T 9 N, R 6 E

4.86 a Lycamore 40 in. dia.

37.00 River low grounds

40.00 set of sec. post from which

a Hickory 6 in. dia. bears S 45 W 22 lbs. dist. 3

T. 8 N., R. 6 E., 2.^d Mer. Ind.^a

49

an Elm 7 in. dia. bears N 56 E 17 1/2 lbs. dist. .

50.00 a large creek or part of White River 200 lbs. wide course S 20 E

76.70 a Hackberry 24 in. dia.

80.00 set post cor. of sec. 31 & 32 from which a Buckeye 14 in. dia. bears N 44 E 44 lbs. dist. 8

a Hackberry 27 " " " S 45 W 34 " "

Low ground, rich soil, timber Hackberry, Sycamore, Ash &. Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 31, T 9 N, R 6 E

40.00 set of sec. post from which

a Hackberry 18 in. dia. bears S 47 W 45 lbs. dist. 8

an Ash 24 " " " N 14 E 48 " "

57.80 Intersect White River, course S 30 W. set post from which

an Elm 6 in. dia. bears S 68 E 13 lbs. dist. 8

an Ash 6 " " " N 40 E 13 " "

Sand, timber & the same as last noted.

East on the S. Boundary of Sec. 31, T 9 N, R 6 E

9.74 Intersect River set post from which

a Cottonwood 9 in. dia. bears N 15 W 73 lbs. dist.

West Boundary.

Random Line. Var. 6:36. E

South on E. Boundary of Sec. 1, T 8 N, R 5 E

9.75 Intersect E. fork of White River, keep the channel, runs S

30.00 Intersect right bank of said River, running S E

40.00 set temp. of sec. post

80.00 set temp. post for cor. of sec. 1 & 12

Over level low grounds, timber Ash, Hackberry, Walnut & Upr. Spice

T. 8 N., R. 6 E. 2. Mer. Ind.?

South on the E. Boundary of Sec. 12, T 8 N, R 5 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 12 & 13

South on the E. Boundary of Sec. 13, T 8 N, R 5 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 13 & 24

South on the E. Boundary of Sec. 24, T 8 N, R 5 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 24 & 25

South on the E. Boundary of Sec. 25, T 8 N, R 5 E

40.00 set temp. of sec. post

80.00 set a temp. post for cor. of sec. 25 & 36

South on the E. Boundary of Sec. 36, T 8 N, R 5 E

40.00 set temp. of sec. post

78.16 Intersect S. Boundary 2600 ft. E. of Town. corner
June 7. 1819

Corrected Line. Var. 6° 45' E

North on the E. Boundary of Sec. 36, T 8 N, R 5 E

Bearings at cor. of T. 8 N, R. 5 & 6 E.

a Beech 20 in. dia bears S 19° W 18 ft. dist. &

an Ash 20 " " " N 11° W 14 " " "

40.00 set of sec. post from which

a Gum 8 in. dia bears S 33½° W 17 ft. dist. &

a Beech 7 " " " N 69° E 20 " " "

80.00 set post cor. of sec. 25 & 36 from which

a Hickory 6 in. dia bears N 64° W 17 ft. dist. &

a Do 9 " " " S 83½° E 13 " " "

Over level, low ground, timber Beech, Hickory,
Oak & Upr. the same

T 8 N., R. 6 E. 2. Mer. Ind. a

North on the E. Boundary of Sec. 25, T 8 N., R 5 E

40.00 Set of sec. post from which

a W. Oak 30 in. dia. bears S 51° W 19 lbs. dist. 8

a Beech 15 " " " N 30° E 18 " "

80.00 Set post cor. of sec. 24 & 25 from which

a Beech 24 in. dia. bears S 29° W 15 lbs. dist. 8

a Do 20 " " " N 71° W 21 " "

Over level ground, timber Beech, Oak, Hickory,
& Upr. Spice

North on the E. Boundary of Sec. 24, T 8 N., R 5 E

40.00 Set of sec. post from which

a Beech 12 in. dia. bears S 10° W 20 lbs. dist. 8

a Do 12 " " " N 49½° W 22 " "

80.00 Set post cor. of sec. 13 & 24 from which

a Beech 10 in. dia. bears S 47° W 24 lbs. dist. 8

a Sugar 15 " " " N 81° W 16 " "

Over level ground, timber Beech, Oak & Spice &

North on the E. Boundary of Sec. 13, T 8 N., R 5 E

40.00 Set of sec. post from which

a Sugar 15 in. dia. bears N 84° E 2 lbs. dist. 8

a Do 10 " " " N 15° E 27 " "

80.00 Set post cor. of sec. 12 & 13 from which

a B. Walnut 6 in. dia. bears S 10° E 10 lbs. dist. 8

a Malberry 4 " " " S 80° E 14 " "

First ½ mile rich land, timber Sugar, Walnut,
last ½ mile low ground, timber Beech, Oak &
Upr. Spice

North on the E. Boundary of Sec. 12, T 8 N., R 5 E

40.00 Set of sec. post from which

a Hackberry 9 in. dia. bears N 54° W 6 lbs. dist. 8

an Elm 8 " " " N 80° E 13 " "

T. 8 N., R. 6 E., 2^d Mer. Ind.^a

80.00	Set post cor. of Sec. 1 & 12 from which a Beech 10 in. dia. bears S 72 E 4 Ms. dist. 8 a Do 36 " " " N 12 W 22 " " Over level land, timber Beech, Hackberry & Upr. Spice, soil good
North	on the E. Boundary of Sec. 1, T 8 N, R 5 E
40.00	Set of sec. post from which a Lycamore 10 in. dia. bears S 86 E 18 Ms. dist. 8 a Hophenut 15 " " " S 86 W 17 " "
48.16	River South keep the channel
68.41	intersect Right bank of said River
78.16	to cor. of T. 8 & 9 N, R. 5 & 6 E. June 8. 1819 Surveyed by John M. Donald Dep. Surveyor
Subdivision, Var. 6 th 45 th E	
North	between Sec. 35 & 36, T 8 N, R 6 E
33.71	a Beech 12 in. dia.
40.00	Set of sec. post from which a Beech 12 in. dia. bears N 40 W 34 Ms. dist. 8 a Do 24 " " " S 36 E 18 " "
59.35	a Do 18 " "
80.00	Set post cor. of Sec. 25, 26, 35 & 36 from which a Beech 10 in. dia. bears S 57 W 17 Ms. dist. 8 a Do 6 " " " North 6 " " Rolling prairie land, Beech, Poplar, Ash, Gum & Upr. Spice
East	on Random between Sec. 25 & 36
40.00	set temp. of sec. post
76.14	Intersect E. Boundary 50 Ms. S. of post - Rolling prairie land, Beech, Poplar, Oak, Sugar & Upr. Spice

T. 8 N., R. 6 E., 2^d. Mer. Ind.^a

West connected between Sect. 25 & 36

38.07 set of sec. port at aver. dist. from which
 a Beech 20 in. dia. bears N10°W 27 1/2 Ms. dist. 8
 a Poplar 30 " " " S10°W 7 " "
 76.14 to sec. cor.

North between Sect. 25 & 26

25.20 a Beech 18 in. dia.
 40.00 set of sec. port from which
 a Beech 20 in. dia. bears S58°W 5 Ms. dist. 8
 a Hickory 8 " " " N30°E 32 " "
 58.67 a W. Ash 12 " "
 80.00 set port cor. of sec. 23, 24, 25 & 26 from which
 a Beech 20 in. dia. bears S60°W 16 Ms. dist. 8
 a Do 18 " " " N61°E 32 " "
 2^d rate rolling land, Beech, Poplar, Oak, Ash,
 Elm & Wyl. Spice &

East in Random between Sect. 24 & 25

40.00 set temp. of sec. port
 76.60 Intersect N. L. line 83 Ms. E. of port -
 Rolling 2^d rate land, Beech, Oak, Hickory &
 Wyl. Spice, Dogwood &

West connected between Sect. 24 & 25

38.30 set of sec. port at aver. dist. from which
 a W. Oak 20 in. dia. bears S80°E 25 Ms. dist. 8
 a Hickory 8 " " " N74°W 35 " "
 76.60 to sec. cor.

North between Sect. 23 & 24

27.73 a Beech 18 in. dia.
 40.00 set of sec. port from which
 a Beech 10 in. dia. bears S26°W 30 Ms. dist. 8

T. 8 N., R. 6 E. 2^d Mer. Ind.^a

Beech 10 in. diam bears N 63 E 24 lbs. dirt,
 60.40 a W. Ash 15 " "
 80.00 set port cor. of Sec. 13, 14, 23 & 24 from which
 a Beech 12 in. diam bears N 65 E 4 lbs. dirt &
 a Do 10 " " " N 64 W 6 " "
 Rolling 2^d rate land, Beech, Ash, Poplar &
 Wyr. Spice

East on Random between Sec. 13 & 24
 40.00 set temp. g. sec. port
 77.06 Intersect E. Boundary 56 lbs. S. of port -
 Broken ground, 2^d rate, Beech, Ash, Poplar &
 Wyr. Spice

West Connected between Sec. 13 & 24
 38.53 set g. sec. port at aver. dirt. from which
 a Beech 10 in. diam bears S 72 E 4 lbs. dirt &
 a W. Ash 12 " " " N 77 W 14 " "
 77.06 to Sec. cor.

North between Sec. 13 & 14
 17.00 a Beech 24 in. dia.
 40.00 set of sec. port from which
 a Hornbeam 8 in. diam bears N 18 E 8 lbs. dirt &
 a R. Oak 36 " " " S 34 W 21 " "
 70.75 a Beech 12 " "
 80.00 set port cor. of Sec. 11, 12, 13 & 14 from which
 a Hickory 12 in. diam bears S 16 W 25 lbs. dirt &
 a Do 15 " " " N 10 E 29 " "
 Broken 2^d rate land, Beech, Oak, Hickory, Ash
 & Wyr. Hornbeam, Spice &

East on Random between Sec. 12 & 13
 40.00 set temp. g. sec. port

T. & N., R. 6 E., T. 1 Mer., Ind.^a

77.00 Intersect E. Boundary 5th. S. of port -
Broken 3rd rate land, Beech, Oak, Hickory &
Wgr. Dogwood, Spice

West Connected between Sec. 12 & 13

38.50 Set of sec. port at aver. dist. from which
a W. Oak 15 in. dia bears S 38 E 11th. dist. 8
a Hickory 10 " " " N 24 W 20 " "

77.00 to sec. cor. October 15, 1819

North between Sec. 11 & 12

20.66 a Hickory 18 in. dia.

38.00 to Little Sand Creek 30th. wide course W

40.00 Set of sec. port from which
a Sugar 10 in. dia bears S 13 E 12th. dist. 8
a Yucca 36 " " " N 9 E 31 " "

60.57 a Sugar 12 " "

80.00 Set port cor. of Sec. 1, 2, 11 & 12 from which
a Beech 10 in. dia bears S 30 W 21th. dist. 8

a Do 12 " " " N 39 E 12 " "

Broken 2nd rate land, Beech, Hickory, Oak,
Sugar, Wgr. Spice &c.

East on Random between Sec. 1 & 12

40.00 Set temp. of sec. port

53.00 crossed Little Sand Creek 30th. wide course SW

76.90 Intersect E. Boundary 60th. S. of port -
Broken 2nd rate land, Beech, Oak, Sugar, Hickory
&c. Wgr. Spice

West Connected between Sec. 1 & 12

38.45 Set of sec. port at aver. dist. from which
a Beech 20 in. dia bears S 24 E 17th. dist. 8
a Do 12 " " " S 10 W 26 " "

T. 8 N., R. 6 E. 2^d Mer. Ind.^a

76.90 to sec. cor.

North between Sec. 1 & 2

17.90 a Gum 12 in. dia.

40.00 Set g^o sec. post from which

a Beech 9 in. dia. bears S 9 W 23 lbs. dist 8

a Do 16 " " " S 43 E 22 " "

59.40 a Do 12 " "

81.60 Intersect N. Boundary 190 lbs. E. of post—

Set post at intersection cor. of Sec. 1 & 2 from which

a Beech 10 in. dia. bears S 32 W 3 lbs. dist 8

a W. Ash 16 " " " N 76 E 12 " "

Broken 3rd rate land, Beech, Oak, Hickory &

Upr. Dogwood &

North between Sec. 34 & 35

26.31 a W. Walnut 15 in. dia.

40.00 Set g^o sec. post from which

a B. Walnut 24 in. dia. bears S 64 W 17 lbs. dist 8

a R. Elm 6 " " " N 70 E 10 " "

62.79 a Lycamors 36 " "

80.00 Set post cor. of Sec. 26, 27, 34 & 35 from which

a Beech 10 in. dia. bears S 35 E 21 lbs. dist 8

a Do 12 " " " North 6 " "

First rate land, Beech, Oak, Walnut, Ash &

Upr. Spice

East on Random between Sec. 26 & 35

40.00 Set temp. g^o sec. post

80.90 Intersect N. & S. line 8 lbs. N. of post—

2nd rate rolling land, Beech, Poplar, Ash, Sugar,

Upr. Spice &

West Corrected between Sec. 26 & 35

T. 8 N., R. 6 E. 2. Mer. Ind. a

40.45 set g. sec. post at aver. dirt from which
 a Beech 10 in. dis. bears N 45 E 4 lbs. dirt &
 a Poplar 48 " " " S 40 E 9 " "
 80.90 to sec. cor. October 16, 1819

North between Sec. 26 & 27

30.77 a Beech 10 in. dis.

40.00 set g. sec. post from which
 a Beech 12 in. dis. bears S 13 E 9 lbs. dirt &
 a Do 4 " " " N 80 W 9 " "

69.56 a Gum 12 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Beech 6 in. dis. bears S 5 E 23 lbs. dirt &
 a Do 10 " " " N 45 W 15 " "
 Rolling 2^d rate land, Beech, Oak, Sugar,
 Gum & Uly. Spice &

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

80.20 Intersect N & G line at post -
 Rolling 2^d rate land, Hickory, Sugar & Uly.
 Dogwood, Spice &

West Connected between Sec. 23 & 26

40.10 set g. sec. post at aver. dirt from which
 a Beech 10 in. dis. bears N 20 E 11 lbs. dirt &
 a W. Oak 12 " " " N 60 W 14 " "

80.20 to Sec. cor.

North between Sec. 22 & 23

31.10 a Bur Oak 40 in. dis.

40.00 set g. sec. post from which
 a Maple 15 in. dis. bears S 65 W 8 lbs. dirt &
 a Poplar 4 " " " N 62 E 10 " "

T. 8 N., R. 6 E., S. 1 Mer. Ind.^a

66.00 a W. Elm 24 in. dia.

80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Poplar 24 in. dia. bears N 26 W 13 Ms. dist. 18
a Beech 18 " " " S 86 E 29 " "
Level 2^d rate land, Beech, Poplar, Oak & Spice

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post

80.06 Intersect N & S line 14 Ms. E. of post -
Rolling 3^d rate land, Beech, Oak, Hickory, Sugar
Upr. Dogwood &c.

West corrected between Sec. 14 & 23

40.03 set g. sec. post at aver. dist. from which
a Beech 15 in. dia. bears S 83 E 12 Ms. dist. 18
a Sugar 10 " " " S 78 W 21 " "
80.06 to sec. cor.

Norths between Sec. 14 & 15

22.00 a Sugar 18 in. dia.

40.00 set g. sec. post from which
a Lyrus 20 in. dia. bears N 50 W 20 Ms. dist. 18
a Beech 8 " " " S 13 W 11 " "

63.00 crossed Little Sand Creek 40 Ms. wide runs W

66.00 a Beech 15 in. dia.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a Beech 8 in. dia. bears N 30 E 6 Ms. dist. 18
a Hornbeam 5 " " " S 45 W 6 " "
Broken 3^d rate land, Beech, Oak, Poplar, Sugar
&c. Upr. Dogwood

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. post

58.00 exp Little Sand Creek, runs S W

79.92 Intersect N.S. line 34 Ms. N. of post—
Broken 3^d rate land, Beech, Oak, Hickory, Ash
& Upr. Dogwood, Beech, Spice

West Connected between Sec. 11 & 14

39.96 let of sec. post at aver. dist. from which
a Beech 4 in. diameter S 74° W 11 Ms. dist. 8,
a Do 4 " " " N 14° W 12 " "

79.92 to sec. cor.

North between Sec. 10 & 11

17.75 a W. Oak 12 in. dia.

40.00 let of sec. post from which
a W. Oak 10 in. diameter S 42° E 6 Ms. dist. 8,
a Beech 10 " " " N 31° W 18 " "

70.18 a Beech Ash 15 in. dia.

80.00 let post cor. of Sec. 2, 3, 10 & 11 from which
a W. Oak 18 in. diameter N 74° E 5 Ms. dist. 8,
a Do 14 " " " S 49° W 40 " "
Flat wet 3^d rate land, Beech, Oak, Hickory,
Gum & Upr. Hornbeam &

East on Random between Sec. 2 & 11

40.00 let temp. of sec. post

79.80 Intersect N.S. line 47 Ms. N. of post—
Flat wet 3^d rate land, Beech, Oak, Hickory,
Gum, Upr. Beech

West Connected between Sec. 2 & 11

39.90 let of sec. post at aver. dist. from which
a Beech 12 in. diameter S 45° W 9 Ms. dist. 8,
a W. Oak 6 " " " N 85° E 15 " "

79.80 to sec. cor.

T. 8 N., R. 6 E. 2^d. Mer. Ind.^a

North between Sec. 2 & 3

20.50 a W. Oak 12 in. dia.

40.00 Set of sec. post from which

a Beech 13 in. dia bears S 10 W 16 lbs. dist. 2

a Do 6 " " " N 10 W 13 " "

55.13 a Do 14 " "

80.30 Intersect N. Boundary 210 lbs. E. of post -

Set post at intersection cor. of Sec. 2 & 3 from which

a Beech 12 in. dia bears S 50 E 6 lbs. dist. 3

a W. Oak 15 " " " S 6 W 18 " "

Poking 3^d rate land, Beech, Oak, Hickory &
Upr. Dogwood, Spice & October 17. 1819

North between Sec. 33 & 34

18.50 a W. Ash 30 in. dia.

40.00 Set of sec. post from which

a Bur Oak 18 in. dia bears S 47 E 25 lbs. dist. 2

a Gum 18 " " " N 24 W 25 " "

62.54 a W. Elm 24 " "

80.00 Set post cor. of Sec. 27, 28, 33 & 34 from which

a Hickory 15 in. dia bears N 36 W 4 lbs. dist. 2

a Do 18 " " " S 45 E 35 " "

Level 1st rate land, Sugar, Walnut, Ash,
Hackberry; Upr. Spice &

East on Raudon between Sec. 27 & 34

40.00 Set temp. of sec. post

80.46 Intersect N & S line 10 lbs. N. of post -

Level 1st rate land, Beech, Ash, Walnut & Spice

West Connected between Sec. 27 & 34

40.23 Set of sec. post at aver. dist. from which

a W. Ash 20 in. dia bears N 23 1/2 W 13 lbs. dist. 2

a Maple 12 " " " S 12 E 5 " "

T. 8 N., R. 6 E. 2^d. Mer. Ind.^a

61

80.46 to sec. cor.

North between Sect. 27 & 28

21.62 a R. Oak 30 in. dia.

40.00 set g. sec. post from which

a R. Elm 6 in. dia bears S 35° W 4 1/2 m. dist. 8

a Hornbeam 5 " " " N 74° E 8 " "

64.50 a Walnut 24 " "

80.00 set post cor. of Sect. 21, 22, 27 & 28 from which

a W. Elm 4 in. dia bears S 76° E 2 1/2 m. dist. 8

a Sugar 12 " " " S 84° W 16 " "

Level 1st rate land, Sugar, Walnut, Oak, Buckeye
Wyr. Spice

East on Random between Sect. 22 & 27

40.00 set temp. g. sec. post

80.48 Intersect N. & S. line 42 m. N. of post—

Rolling 2nd rate land, Beech, Sugar, Ash, Poplar
Wyr. Spice

West Connected between Sect. 22 & 27

40.24 set g. sec. post at aver. dist. from which

a Beech 12 in. dia bears N 15° E 2 1/2 m. dist. 8

a Do 15 " " " S 15° W 24 " "

80.48 to sec. cor.

North between Sect. 21 & 22

20.35 a Poplar 36 in. dia.

40.00 set g. sec. post from which

a W. Ash 12 in. dia bears N 64° W 14 m. dist. 8

a Do 15 " " " N 87° E 18 " "

60.70 a W. Oak 18 " "

80.00 set post cor. of Sect. 15, 16, 21 & 22 from which

a Sycamore 24 in. dia bears N 27° W 39 m. dist. 8

T. 8 N., R. 6 E. 2^d Mer. Ind^a

a W. Elm 12 in. dia. bears N 34 W 32 lbs. dist.

Broken 3rd rate land, Beech, Oak, Ash, Poplar
Upr. Spruce

East on Random between Sec. 15 & 22

40.00 bet temp. g. sec. port

80.60 Intersect N & S. line 84 lbs. N. of port -
Broken 3rd rate land, Beech, Oak, Hickory &
Upr. Dogwood & Sassafras

West Connected between Sec. 15 & 22

40.30 bet g. sec. port at aver. dist. from which
a Beech 18 in. dia. bears N 14 E 25 lbs. dist. 18,
a Sassafras 15 " " " N 54 W 13 " "

80.60 to sec. cor. October 18, 1819

North between Sec. 15 & 16

29.08 a Sugar 18 in. dia.

32.00 crossed Little Sand Creek, runs W

40.00 bet g. sec. port from which

a W. Oak 40 in. dia. bears S 69 W 35 lbs. dist. 3

a Beech 10 " " " N 68 E 15 " "

73.80 a W. Oak 20 " "

80.00 bet port on. of Sec. 9, 10, 15 & 16 from which

a Beech 18 in. dia. bears S 16 E 12 lbs. dist. 18

a Do 24 " " " N 60 W 4 " "

Rolling 3rd rate land, Beech, Oak, Hickory &
Upr. Dogwood

East on Random between Sec. 10 & 15

40.00 bet temp. g. sec. port

80.50 Intersect N & S. line 120 lbs. N. of port -

Rolling 3rd rate land, Beech, Oak, Poplar, Upr.
Dogwood, Spruce

T. 8 N., R. 6 E., Sec. 10.

West Cornered between Sec. 10 & 15

40.25 Set g. sec. post at aver. dist. from which
 a Beech 12 in. diam. N 81 E 19 Ms. dist. 8
 a W. Oak 8 " " " S 42 E 27 " "
 80.50 to sec. cor.

North between Sec. 9 & 10

20.50 a R. Oak 36 in. diam.
 40.00 Set g. sec. post from which
 a Beech 12 in. diam. S 50 W 18 Ms. dist. 8
 a Do 12 " " " N 80 W 26 " "
 65.50 a Hickory 24 " "
 80.00 Set post cor. of sec. 3, 4, 9 & 10 from which
 a Poplar 31 in. diam. S 84 W 12 Ms. dist. 8
 a Maple 12 " " " N 84 E 23 " "
 Flat 3rd rate land, Beech, Hickory, Oak, Poplar
 Upr. Spruce, Ash &c.

East in Random between Sec. 3 & 10

40.00 Set temp. g. sec. post
 80.70 Intersect N & S. line 130 Ms. N. of post -
 Wet 3rd rate land, Beech, Oak, Maple &c.

West Cornered between Sec. 3 & 10

40.35 Set g. sec. post at aver. dist. from which
 a Beech 18 in. diam. S 70 E 31 Ms. dist. 8
 a Do 24 " " " East 10 " "
 80.70 to sec. cor.

North between Sec. 3 & 4

23.64 a W. Ash 15 in. diam.
 40.00 Set g. sec. post from which
 a Gum 24 in. diam. S 10 E 29 Ms. dist. 8
 a Cherry 3 " " " N 35 E 9 " "

T. S. N., R. C. E. I. Mer. Ind.^a

61.84 a Beech 14 in. dia.

79.65 Intersect N. Boundary 200 Yds. E. of port -
 Set post at intersection cor. of Sec. 32 & 4 from which
 a Beech 15 in. dia. bears S 66° W 25 Yds. dist. 8
 a Dogw. 4 " " " East 4 " "
 Broken 3rd rate land, Beech, Oak, Ash &
 Upr. Dogwood, Spice

North between Sec. 32 & 33

22.68 a Beech 20 in. dia.

40.00 Set g. Sec. post from which
 a Hickory 15 in. dia. bears N 3 E 15 Yds. dist. 8
 a Beech 8 " " " N 81° W 48 " "

64.00 a Hickory 15 " "

80.00 Set post cor. of Sec. 28, 29, 32 & 33 from which
 a Hickory 10 in. dia. bears S 29 E 10 Yds. dist. 8
 a Do 12 " " " N 47° W 23 " "
 Level 1st rate land, Beech, Hickory, Hackberry,
 Locust, Walnut, Upr. Spice
 October 19. 1819

East on Random between Sec. 28 & 33

29.50 right bank of Driftwood

35.50 left " " Do

40.00 Set temp. g. Sec. post

78.30 Intersect N. S. line 80 Yds. E. of post -
 First rate Bottom, Sugar, Hackberry, Box
 Elder, Upr. Spice

West corrected between Sec. 28 & 33

39.15 Set g. Sec. post at aver. dist. from which
 a Sycamore 50 in. dia. bears N 40 E 14 Yds. dist. 8
 a Hackberry 4 " " " S 20 - 19 " "
 42.80 Set post on left bank of River from which

a Boxelder 4 in. dia. leans S 35 E 11 lbs. dist. 8
 a Sycamore 36 " " " N 40 W 5 " "
 48.80 set post on right bank of River from which
 a Cottonwood 3 in. dia. leans S 83 W 9 lbs. dist. 8
 a Do 4 " " " N 29 E 10 " "
 78.30 to sec. cor.

North between Sec. 28 & 29

20.81 a — 15 in. dia.
 40.00 set of sec. post from which
 a Buckeye 10 in. dia. leans S 23 W 22 lbs. dist. 8
 a Hickory 13 " " " S 30 E 18 " "
 68.10 set post on right bank of Driftwood from which
 a Boxelder 12 in. dia. leans S 60 W 21 lbs. dist. 8
 a W. Elm 10 " " " S 5 E 17 " "
 73.40 set post on left bank of River from which
 a Cottonwood 6 in. dia. leans S 83 W 3 lbs. dist. 8
 a Do 5 " " " East 6 " "
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Hackberry 6 in. dia. leans N 87 E 11 lbs. dist. 8
 a Sycamore 18 " " " N 14 W 20 " "
 First rate level land, Hackberry, Walnut,
 Beech, Buckeye & Ugly Spice

East on Random between Sec. 21 & 28

25.00 crossed Little Sand Creek, runs S
 40.00 set temp. of sec. post
 77.80 Intersect N & S line 132 lbs. S. of post —
 Level 1st rate land, Sugar, Walnut, Ash &
 Ugly Spice

West Connected between Sec. 21 & 28

38.90 set of sec. post at aver. dist. from which
 a Hackberry 30 in. dia. leans N 28 W 10 lbs. dist. 8

T. 8 N., R. 6 E. 2.^d Mer. Ind.^a

a Hornbeam 4 in. diam S 3° W 22 lbs. dist.
 52.80 Little Sand Creek
 77.80 to sec. cor.

North between Sec. 20 & 21

20.80 a W. Elm 30 in. dia.

40.00 set g. sec. posts from which

a Beech 6 in. diam S 35° W 21 lbs. dist. 8

a Hackberry 20 " " " N 78° E 25 " "

68.34 a Beech 20 " "

80.00 set post cor. of Sec. 16, 17, 20 & 21 from which

a Buckeye 15 in. diam N 11° E 21 lbs. dist. 8

a Hickory 4 " " " N 28° E 10 " "

First rate Bottom, Hackberry, Walnut, Ash,
 Beech, Sugar, Buckeye & Spice & Pawpaw

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

48.50 crossed Little Sand Creek 30 lbs. wide
 runs South

78.25 Intersect N 2° S. line 152 lbs. S. of post -

Good Tstate land, Sugar, Beech, Poplar &
 Upr. Spice

West connected between Sec. 16 & 21

39.12 set g. sec. posts at aver. dist. from which

a Sugar 36 in. diam S 20° E 33 lbs. dist. 8

a Poplar 6 " " " S 72° W 34 " "

78.25 to sec. cor.

North between Sec. 16 & 17

20.37 a Beech 12 in. dia.

40.00 set g. sec. post from which

a Walnut 24 in. diam N 27° W 39 lbs. dist. 8

T. 8 N., R. 6 E. 2.^d Mer. Ind.^a

67

a Sugar 15 in. dia bears S 37 E 21 lbs. dist. 8
 62.45 a Beech 24 " "
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which
 a Beech 12 in. dia bears N 55 W 6 lbs. dist. 8
 a Spr 8 " " " S 37 E 21 " "
 Level land 1st rate, Beech, Sugar, Poplar &
 Upr. Spruce & Pawpaw. October 20, 1819

East on Random between Sec. 9 & 16
 40.00 set temp. g. sec. post
 78.20 Intersect N & S line 100 lbs. S. of post -
 Level 1st rate land, Beech, Sugar, Walnut
 & Upr. Spruce &

West Correlated between Sec. 9 & 16
 39.10 set g. sec. post at aver. dist. from which
 a B. Ash 3 in. dia bears S 58 E 10 lbs. dist. 8
 a Beech 12 " " " N 29 W 15 " "
 78.20 to sec. cor.

North between Sec. 8 & 9
 23.22 a B. Ash 30 in. dia.
 40.00 set g. sec. post from which
 a W. Oak 12 in. dia bears South 16 lbs. dist. 8
 a Spr - " " " N 63 E 17 " "
 61.37 a Beech 24 " "
 80.00 set post cor. of sec. 4, 5, 8 & 9 from which
 a Beech 24 in. dia bears N 79 E 25 lbs. dist. 8
 a Spr 8 " " " N 29 W 16 " "
 Rolling 2.^d rate land, Beech, Oak, Hickory,
 Ash & Upr. Spruce

East on Random between Sec. 4 & 9
 40.00 set temp. g. sec. post

T. 8 N., R. 6 E., 2^d Mer. Ind.^a

78.46 Intersect N. G. line 130 lbs. S. of port -
Flat wet 3rd rate land, Beech, Oak, Gum, Maple &
Upr. Beech &

West Barometer between Sect. 4 & 9

39.23 Set of sec. port at aver. dist. from which
a Gum 40 in. diam. West 2 lbs. dist. 8
a Beech 12 " " " S 64 E 16 " "

78.46 to Sec. cor.

North between Sect. 4 & 5

28.50 a W. Elm 24 in. dia.

40.00 Set of sec. port from which
a Beech 30 in. diam. S 5 W 24 lbs. dist. 8
a Do 20 " " " N 75 E 18 " "

75.75 a Do 18 " "

80.70 Intersect N. Boundary 308 lbs. E. of port -
Set port at intersection cor. of Sect. 4 & 5 from which
a Beech 18 in. diam. S 26 E 18 lbs. dist. 8
a Do 18 " " " N 45 W 24 " "
Rolling 3rd rate Beech land, Upr. Dog & Iron wood

North between Sect. 31 & 32

25.30 a W. Elm 12 in. dia.

40.00 Set of sec. port from which
a Hickory 24 in. diam. S 22 E 11 lbs. dist. 8
a Beech 3 " " " N 29 W 8 " "

70.00 a Maple 18 " "

80.00 Set port cor. of Sect. 29, 30, 31 & 32 from which
a Beech 12 in. diam. S 57 E 10 lbs. dist. 8
a W. Ash 18 " " " N 10 W 21 " "

Rolling 2nd rate land, Beech, Poplar, Oak & Spice

East on Random between Sect. 29 & 32

T. 8 N., R. 6 E 2^d. Mer. Ind.^a 69

40.00 set temp. g^r sec. point

80.50 Intersect N. G. line 13th. N. of point -

Level 2^d rate land, Beech, Sugar, Poplar, Oak, Spice

West corrected between Sec. 29 & 32

40.25 set g^r sec. point at aver. dist. from which

a Beech 21 in. dia. bears N 43° W 12th. dist. 2

a Do 10 " " " S 44° E 18 " "

50.50 to Sec. cor.

West between Sec. 30 & 31

24.50 a Hickory 18 in. dia.

40.00 set g^r sec. point from which

a Beech 10 in. dia. bears N — 14th. dist. 8

a Do 6 " " " N 84° E 16 " "

65.00 a B. Oak 24 " "

79.25 Intersect W. Boundary 100th. S. of point -

set point at intersection cor. of sec. 30 & 31 from which

a Maple 15 in. dia. bears N 33° W 23th. dist. 2

a B. Oak 6 " " " S 41° E 9 " "

Flat wet land, Oaks, Beech, Maple &c.

October 21. 1819

North between Sec. 29 & 30

24.70 a Beech 10 in. dia.

40.00 set g^r sec. point from which

a Beech 18 in. dia. bears N 21° W 25th. dist. 2

a Do 3 " " " S 42° E 8 " "

65.90 a Do 18 " "

80.00 set point cor. of sec. 19, 20, 29 & 30 from which

a Hickory 18 in. dia. bears N 27° W 54th. dist. 2

a Walnut 24 " " " S 25° E 90 " "

Rolling 2^d rate land, Beech, Poplar, Oak, Ash &c.
Wyr. Spice

T. 8 N., R. 6 E. S. 1 Mer. Ind. a

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

70.80 to right bank of Deiftwood

75.70 to left " " As

80.40 Intersect N. & S. line 68 lbs. N. of post -

First 1/2 mile T. state, last 1/2 mile low Bottoms,
Sugar, Beech, Hackberry, Sycamore, Ugly. Spice

West Connected between Sec. 20 & 29

4.70 set post on left bank of River from which
a W. Elm 4 in. diam. East 8 lbs. dist. S
a Boxelder 6 " " " N 67 E 16 " "9.60 set post on right bank of River from which
a Cottonwood 10 in. diam. S 49 W 10 lbs. dist. S
a W. Maple 3 " " " N 15 E 5 " "40.20 set post from which
a Hackberry 10 in. diam. S 49 W 10 lbs. dist. S
a Buckeye 3 " " " N 14 W 23 " "

80.40 to sec. cor.

West between Sec. 19 & 30

25.00 a R. Oak - in. dia.

40.00 set g. sec. post from which
a Beech 12 in. diam. S 19 W 29 lbs. dist. S
a Do 6 " " " N 46 E 8 " "

55.30 a Do 12 " "

78.54 Intersect W. Boundary 158 lbs. S. of post -
set post at intersection cor. of sec. 19 & 30 from which
a Beech 10 in. diam. N - 8 lbs. dist. S
a Do 18 " " " S 28 E 30 " "
Rolling T. state land, Beech, Oak, Poplar &
Ugly. Spice

North between Sec. 19 & 20

40.00 set of sec. port from which

a Sugar 18 in. dia. leans N17E 21 lbs. dist. 8

a Do 12 " " " S18E 23 " "

68.75 a Cottonwood 30 " "

80.00 set port on right bank of River cor. of sec. 17, 18, 19
& 20 from which

a W. Elm 10 in. dia. leans N52E 10 lbs. dist. 8

a R. Bud 6 " " " N46W 37 " "

First 1/2 mile T. rate, last 1/2 mile low Bottom,
Sugar, Ash, Beech, Cottonwood

East on Random between Sec. 17 & 20

48.62 down River to left bank

79.90 Intersected N. S. line 100 lbs. N. of port -
River & low bottom

West Connected between Sec. 17 & 20

31.28 set port on left bank of River from which

a Sycamore 18 in. dia. leans S75E 34 lbs. dist. 8

a Boxelder 4 " " " N48E 15 " "

79.90 to Sec. cor.

West between Sec. 18 & 19

29.00 a W. Ash 15 in. dia.

40.00 set of sec. port from which

a Sugar 10 in. dia. leans N60E 4 lbs. dist. 8

a Do 12 " " " S80W 7 " "

69.68 a Beech 15 " "

76.90 Intersected W. Boundary 172 lbs. S. of port -

set port at intersection cor. of sec. 18 & 19 from which

a Beech 12 in. dia. leans S27W 9 lbs. dist. 8

a Do 16 " " " N21E 22 " "

First 1/2 mile T. rate, last 1/2 mile 2. rate,
Beech, Sugar, Hackberry & Wyr. Spice

T. & N., R. & E. 2^d Mer. Ind.^a

North between Sec. 17 & 18

- 9.22 set post on left bank of River from which
 a Cottonwood 10 in. diameter S 24 E 20 lbs. dist. 8
 a Do 3 " " " S 62 W 13 " "
 31.86 a Sycamore 48 " "
 40.00 set g. sec. post from which
 a W. Maple 16 in. diameter West 50 lbs. dist. 8
 a Sycamore 24 " " " N 25 W 64 " "
 69.25 a Buckeye 12 " "
 80.00 set post cor. of sec. 7, 8, 17 & 18 from which
 a Cottonwood 60 in. diameter N 54 E 54 lbs. dist. 8
 a Maple 24 " " " N 33 W 34 " "
 Low overflown Bottoms, Sycamores, Cottonwood &
 October 22, 1819

East on Random between Sec. 8 & 17

- 40.00 set temp. g. sec. post
 79.86 Intersect N & S. line 130 lbs. N. of post -
 Level Bottoms, T^rato, Beech, Sugar, Ash,
 Buckeye; Wgs. Spice & Pawpaw

West corner between Sec. 8 & 17

- 39.93 set g. sec. post at aver. dist. from which
 a Beech 30 in. diameter S 22 W 25 lbs. dist. 8
 a Do 18 " " " N 22 E 35 " "
 79.86 to sec. cor.

West between Sec. 7 & 18

- 15.00 set post on left bank of River, from which
 a Cottonwood 8 in. diameter S 60 E 74 lbs. dist. 8
 a Do 4 " " " N 47 W 97 " "
 19.73 set post on right bank of River, from which
 a B. Walnut 10 in. diameter S 13 E 23 lbs. dist. 8
 a Do 12 " " " S 72 W 23 " "

48.00 a Hackberry 15 in. dia.

75.73 Intersect W. Boundary 158 lbs. S. of port -
 set port at intersection, cor. of sec. 7 & 8 from which
 a Br. Oak 15 in. dia. bears S 4 E 33 lbs. dist. 8,
 a Br. Oak 48 " " " N 18 E 26 " "
 First 1/2 mile over River & land Bottoms, last
 1/2 mile over T^h rate land, Sugar, Hackberry,
 Locust, Beech

North between Sec. 7 & 8

25.86 a Hickory 18 in. dia.

40.00 set g. sec. port from which
 a W. Maple 12 in. dia. bears S 4 E 24 lbs. dist. 8,
 a Do 3 " " " N 47- 9 " "

62.80 a Br. Walnut 18 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which
 a Boxelder 10 in. dia. bears S 84 E 18 lbs. dist. 8
 a Hackberry 24 " " " N 65 W 12 " "
 T^h rate Bottoms, Sugar, Hackberry, Hickory
 Walnut &c.

East on Random. between Sec. 5 & 8

40.00 set temp. g. sec. port

79.94 Intersect N & S line 156 lbs. N. of port -
 Sec. 7 T^h rate land, Sugar, Hackberry, Walnut,
 Ash &c. Upr. Spruce

West Corrected between Sec. 5 & 8

39.97 set g. sec. port at aver. dist. from which
 a Buckeye 18 in. dia. bears S 29 W 2 lbs. dist. 28,
 a Hornbeam 4 " " " N 65 E 2 " "

79.94 to sec. cor.

West between Sec. 6 & 7

T. S. N., R. C. E. I. Mer. Ind.?

- 14.80 Set post on left bank of Driftwood from which
a Maple 6 in. diameter S 38 E 7 lbs. dirt &
a Do 8 " " " N 30 W 15 " "
- 19.80 Set post on right bank of River from which
a Cottonwood 8 in. diameter N 76 W 28 lbs. dirt &
a Do 6 " " " S 48 W 14 " "
- 40.05 Set post on right bank of River from which
a Buckeye 6 in. diameter N 5 E 18 lbs. dirt &
a Hornbeam 6 " " at post
- 62.80 up the River, set post on right bank from which
a R. Locust 15 in. diameter S 17 E 11 lbs. dirt &
a Buckeye 4 " " " N 4 E 5 " "
- 73.54 Intersect N. Boundary 200 lbs. S. of post -
Set post at intersection cor. of Sec. 6 & 7
(Bearings & Description of land &c. omitted)

North between Sec. 5 & 6

20.70 a Sugar 15 in. dia.

40.00 Set of sec. post from which
a Beech 7 in. diameter N 24 E 10 lbs. dirt &
a Do 12 " " " S 12 E 17 " "

58.90 a Do 24 " "

76.00 cross Bluffy Creek 100 lbs. wide, runs S W

81.00 Intersect N. Boundary 400 lbs. E. of post -
Set post at intersection cor. of Sec. 5 & 6 from which
a Beech 15 in. diameter S 81 W 24 lbs. dirt &
a Buckeye 10 " " " S 52 E 10 " "

First rate level land, Beech, Hackberry,
Poplar, Sugar &c. Uls. Spice &c.
October 23. 1819

Meanders of Driftwood or East fork of White
River. - Left bank up stream. Beginning
at post in S. Boundary, thence:

T. 8 N., R. 6 E., 2^d Mer. Ind^a.

Cours	Dist.	Remarks
N10E	25.00	In Sec. 33
N109W	16.00	
N309W	25.36	
N729W	18.94	
North	7.00	
-----	-----	to post in line between Sec. 28 & 33 A Sycamore & Boxelder
N5E	12.70	In Sec. 28
N339W	5.50	
N649W	11.50	
N139W	3.70	
N319W	13.20	
N369W	14.00	to mouth of Little Sandy Creek
-----	-----	to post in line between Sec. 28 & 29 Two Cottonwoods
-----	-----	In Sec. 29 - to post in line between Sec. 20 & 29 - An Elm & Boxelder
N169W	15.90	In Sec. 20
N759W	9.45	
S879W	13.36	
N12E	13.30	
N20E	16.68	
N189W	4.19	
N59W	5.70	
N289W	12.50	
-----	-----	to post in line between Sec. 17 & 20 A Sycamore & Boxelder
N859W	21.50	In Sec. 17
-----	-----	to post in line between Sec. 17 & 18

T. 8 N., R. 6 E. 2^d Mer. Ind. 2

Two bottomwoods

N16°W 15.80 In Sec. 18

N5°E 14.30

N11°W 10.75

N31°W 9.27

N25°E 14.00

----- to post in line between Sec. 7 & 18
Two bottomwoods

N15°E 11.30 In Sec. 7

N30°E 18.60

N5°W 16.50

N45°W 6.00

N20°W 20.30

----- to post in line between Sec. 6 & 7 - Two Maples

N45°W 10.00 In Sec. 6

N80°W 5.00 to mouth of Clifty Creek 100 yds. wide,
comes from NE

S50°W 10.00

N5°W 7.80

N41°E 25.50

N11°W 6.60

S60°W 6.00

S44°W 12.75

N54°W 17.50

N10°W 10.00

N15°E 12.00

----- to post in N. Boundary on left bank of
River. October 24. 1819Right bank up stream. Beginning at
post in S. Boundary, thence:

N10°E 24.50 In Sec. 33

T. 8 N., R. 6 E. 2. Mer. Ind. a

77

N109W 15.75

N309W 25.50

N729W 19.50

N49W 7.00

----- to part in line between Sec. 28 & 33
Two Cottonwood

N6E 12.65 In Sec. 28

N339W 5.60

N649W 11.50

N129W 4.50

N31E 13.00

N369W 15.00

..... to part in line between Sec. 28 & 29
A Boxelder & Elm

N259W 5.00 In Sec. 29

----- to part in line between Sec. 20 & 29
A Cottonwood & Maple

N169W 15.75 In Sec. 20

N759W 9.40

S879W 13.75

N10E 13.50

N21E 16.60

N199W 4.00

N49W 5.75

N289W 12.60

N6E 18.00

N869W 22.00

----- to part on 17, 18, 19 & 20

N159W 21.30 In Sec. 18

N5E 14.20

T. 8. N., R. 6 E. 2. Mer. Ind.

N 12° W 10.50

N 30° W 9.25

N 25° E 14.20

----- to post in line between Sec. 7 & 18 - 2 B. Walnuts

N 15° E 11.36 In Sec. 7

N 29° E 18.00

N 6° W 16.00

N 44° W 6.50

N 20° W 21.30

----- to post in line between Sec. 6 & 7 - 2 Cottonwoods

N 46° W 9.00 In Sec. 6

----- to post in line between Sec. 6 & 7
A Buckeye & Hornbeam

S 55° W 10.00 In Sec. 7

----- to post in line between Sec. 6 & 7
A Locust & Buckeye

N 6° W 7.90 In Sec. 6

N 42° E 25.00

N 12° W 6.00

S 59° W 5.90

S 45° W 12.87

N 57° W 17.00

----- to post in W. Boundary

----- to post in N. Boundary. October 25. 1819
Subdivided by B. F. Morris
Dep. Surveyor.

I certify that the foregoing transcript of the
 Field Notes of the survey of Township N.^o 8 North,
 R. Range N.^o 6 East of the 2.^d Principal Meridian
 in the State of Indiana, has been compared with
 the original on file in this office and found to be
 correct.

Surveyor General's Office,
 Cincinnati, April 2, 1842 } E. P. Baird
 Sur. Gen.